


## Configure a Shibboleth IdP for your institutional account

### 为您单位在 ACS 的帐号设置 Shibboleth IdP

Step 1 – Visit <https://pubs.acs.org> and log in with your institutional administrator ID. Click the “Log In” link and enter your credentials.

步骤 1 – 访问 <https://pubs.acs.org/>，用您单位在 ACS 的管理员用户名和密码登录（具体询问本校图书馆老师）




Step 2 – Access the list of configuration options by clicking the “Welcome...” link in the top right corner.

步骤 2 – 要进入设置选项，单击右上角的“Welcome ...”链接



Step 3. Under “Institutional Management”, choose “Configure Shibboleth account”, then enter your Entity ID URL in the appropriate field and choose “Update”.

步骤 3 - 在单位管理选项中，选“设置 Shibboleth 账户”，输入您单位的 IdP URL ([https://www.carsi.edu.cn/output\\_idp\\_zw.jsp?urltype=tree.TreeTempUrl&wbtreeid=1046](https://www.carsi.edu.cn/output_idp_zw.jsp?urltype=tree.TreeTempUrl&wbtreeid=1046) 可查询)。点击“Update”。



**Complete.** Your Institution will now appear under your federation and will be searchable at <https://pubs.acs.org/action/ssostart>.

完成。您的单位名称就会出现在您的联盟列表中。也可以在此网页搜索。

**ACS 24 小时服务邮箱：** [support@services.acs.org](mailto:support@services.acs.org).